

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : 0012543
SILVIAL

Substance name : 3-(4-isobutylphenyl)-2-methylpropanal
Identifier

CAS-No. : 6658-48-6
EC-No. : 229-695-0

REACH Registration Number : 01-2120770116-58

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfumery ingredient

1.3 Details of the supplier of the safety data sheet

Company :
Givaudan Suisse SA
Chemin de la Parfumerie 5
CH-1214 VERNIER

Telephone : +41227809111
Telefax : +41227809150
E-mail address : global.sds_info@givaudan.com
Responsible/issuing person

Legal Entity : Givaudan France SAS
55 Voie des Bans
F-95102 ARGENTEUIL

1.4 Emergency telephone number

Givaudan 24/7 call : +33172110003

Please refer to section 16 for a full list of emergency phone numbers, from Givaudan's 24/7 provider.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.
Skin sensitisation, Sub-category 1B H317: May cause an allergic skin reaction.

2.2 Label elements

Administrative information:
Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44
Sales & Distribution Information: VE01/FR/CH11/01
Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H315
H317

Causes skin irritation.
May cause an allergic skin reaction.

Precautionary statements :

Prevention:

P261
P264
P280

Avoid breathing mist or vapours.
Wash skin thoroughly after handling.
Wear protective gloves.

Response:

P333 + P313

If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364

Take off contaminated clothing and wash it before reuse.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

- 3-(4-isobutylphenyl)-2-methylpropanal 6658-48-6

2.3 Other hazards

Hazards not Otherwise Classified. : None

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan**SILVIAL**

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	CAS-No. EC-No. REACH Registration Number	Concentration [Percent by weight]	M-Factor, SCL, ATE
3-(4-isobutylphenyl)-2-methylpropanal	6658-48-6 229-695-0 01-2120770116-58	>= 90 - <= 100	Acute toxicity estimate Acute oral toxicity:> 5 000,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice	: Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes. Immediately seek medical attention if chemical entered ear canal. If skin irritation persists, call a physician.
In case of eye contact	: Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Immediately consult Poison Control Center or physician. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: no data available
Risks	: Causes skin irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	-----------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: no data available
--------------------------------------	---------------------

5.3 Advice for firefighters

Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Keep people away from and upwind of spill/leak. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. Material can create slippery conditions. Use personal protective equipment.
----------------------	--

6.2 Environmental precautions

Environmental precautions	: Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	--

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean contaminated floors and objects thoroughly while observing environmental regulations.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Not applicable

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Temperature class : no data available

Fire-fighting class : no data available

Dust explosion class : no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Store Ambient 10-30°C (50-85°F)
Dry, well ventilated, preferably full, hermetically sealed

Advice on common storage : Protect against light.

Storage class (TRGS 510) : 10 Combustible liquids

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Specific use(s) : no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection : Use safety goggles tested according to EN 166/ ANSI Z87.1 or equivalent local standard.

Hand protection : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

- Other skin protection : Wear working clothes covering arms and legs.
The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.
- Respiratory protection : Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
- In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.
- In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).
- Thermal hazards : Wear appropriate thermal protective clothing, when necessary.
- Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

8.2.3 Environmental exposure controls

- General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Form : liquid

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Colour : colorless to Pale yellow
Taste : not determined
Odour : Floral, Aldehydic, Lily-of-the-valley, fatty odour
Odour Threshold : 0,7045 ng/l
Flash point : 70 °C Method: Pensky-Martens closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability : no data available
Particle size : no data available
Oxidizing properties : Unlikely

Auto-ignition temperature : 360 °C Method: DIN 51794
Decomposition temperature : no data available
Molecular weight : 204,30 g/mol
pH : 7
at 10,00 g/l

Melting point : 4 °C
Boiling point : 257 °C at 1 013 hPa
Vapour pressure : 0,0029 hPa at 25 °C
0,0017 hPa at 20 °C
Density : 935,31 kg/m³ at 20 °C
Bulk density : Not applicable
Water solubility : 2,76 mg/l at 25 °C
Solubility/qualitative : insoluble
Partition coefficient: n-octanol/water : log Pow: 3,8
Method: OECD Test Guideline 117
Viscosity, kinematic : no data available
Relative vapour density : no data available
Surface tension : 42,1 mN/m at 20 °C
Method: OECD Test Guideline 115

Evaporation rate : no data available
Explosive properties : Not explosive

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : no data available

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available

Thermal decomposition : no data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity : LD50 Rat
Dose: > 5 000 mg/kg

Acute inhalation toxicity : LC50 Rat
Exposure time: 4 h
Dose: > 5,00 mg/l
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 Rat
Dose: > 5 000 mg/kg

Acute toxicity (other routes of administration) : No data is available on the product itself.

Skin corrosion/irritation

Skin irritation : Species: In vitro
Skin irritation
Method: OECD Test Guideline 439
May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Administrative information:
Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44
Sales & Distribution Information: VE01/FR/CH11/01
Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Eye irritation : Species: In vitro
No eye irritation
Method: OECD Test Guideline 437
Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

Sensitisation : LLNA Mouse
Result: The product is a skin sensitiser, sub-category 1B.
Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vitro : Ames test
negative
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

In vitro mammalian cell gene mutation test
negative
Method: OECD Test Guideline 490

Micronucleus test
negative
Method: OECD Test Guideline 487

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Not classified due to lack of data.

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Dermal
Method: OECD Test Guideline 421
Result: Not classified
GLP: yes

Reproductive toxicity - Assessment : No toxicity to reproduction

Teratogenicity

Remarks : No toxicity to reproduction

Target Organ Systemic Toxicant - Single exposure

Administrative information:
Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44
Sales & Distribution Information: VE01/FR/CH11/01
Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Target Organ Systemic : No data is available on the product itself.
Toxicant - Single exposure

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic : Species: Rat
Toxicant - Repeated Application Route: Oral
exposure NOAEL: 300 mg/kg
Method: OECD Test Guideline 410

Target Organ Systemic Toxicant - Repeated exposure Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Toxicology Assessment

Phototoxicity

Phototoxicity : Phototoxicity Guinea pig
Result:negative

Further information : no data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : no data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 11,3 mg/l

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 4,71 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,44 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

EC10 (Pseudokirchneriella subcapitata (algae)): 1,16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 28 d
Method: OECD Test Guideline 301 F
GLP: yes

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

Product:

Distribution among environmental compartments : log Koc: 3,2
Method: OECD Test Guideline 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.
Dispose of in accordance with local, state and federal regulations.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Do not expose containers to high temperatures such as in hot work processes.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

N/A

14.2 UN proper shipping name

Not regulated as a dangerous good

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for user

IMDG

IMDG Code Segregation : None
Group

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Neither banned nor restricted
Major Accident Hazard Legislation : Not applicable

Water hazard class (Germany) : WGK 2 obviously hazardous to water
Code Number: 6 917

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212

Administrative information:
Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44
Sales & Distribution Information: VE01/FR/CH11/01
Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech republic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
				New Zealand	+64 9 929 1483
Middle East/Africa	All Middle East/Africa	+44 1235 239671	LATAM	China	+86 532 8388 9090
	Bahrain and Middle East	+44 1235 239671		Mexico	+52 55 5004 8763
	Africa/South Africa	+27 21 300 2732		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 866 928 0789		Chile	+56 2 2582 9336
	USA and Canada	+1 215 207 0061		Colombia	+57 1 508 7337
	USA and Canada	+1 202 464 2554		Argentina	+54 11 5984 3690
Global	Global	+44 1865 407333			

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 32 282 319/27 874 797

SILVIAL

Version 6.0

Revision Date 01 NOV 2024

Print Date 14 NOV 2024

Administrative information:
Report Information: SDS_FR/EN/GHS_SDS_EU_CNTRY/44
Sales & Distribution Information: VE01/FR/CH11/01
Shipping Order Information: 32 282 319/27 874 797