according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : 4523001

LIMETOL

Substance name : 2-ETHENYL-2,6,6-TRIMETHYLTETRAHYDROPYRANE

Identifier

CAS-No. : 7392-19-0 EC-No. : 230-983-3 Formula : C10H18O

REACH Registration Number : 01-2120108033-76

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfumery ingredient

1.3 Details of the supplier of the safety data sheet

Company

Givaudan Suisse SA Chemin de la Parfumerie 5 CH-1214 VERNIER

Telephone : +41227809111 Telefax : +41227809150

E-mail address : global.sds_info@givaudan.com

Responsible/issuing person

Legal Entity : Givaudan France SAS

55 Voie des Bans F-95102 ARGENTEUIL

1.4 Emergency telephone number

Giyaudan 24/7 call : +33172110003

Please refer to section 16 for a full list of emergency phone numbers, from Givaudan's 24/7

provider.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Eye irritation, Category 2 Long-term (chronic) aquatic hazard, Category 3 H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection/ hearing

protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing.

Rinse skin with water.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

2.3 Other hazards

Hazards not Otherwise Classified.

: This material may have the potential to be ignited by static electricity during handling or processing. Use proper grounding techniques when handling this product to avoid electrostatic charges. A detailed static evaluation is recommended for liquid handling/processing operation to determine the potential for generating and accumulating static charge. Reference NFPA 77 "Recommended Practice on Static Electricity" for further safe handling practices.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01 Shipping Order Information: 31 238 592/26 781 251

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	CAS-No. EC-No. REACH Registration Number	Concentration [Percent by weight]	M-Factor, SCL, ATE
2,6,6-trimethoxy-2- vinyltetrahydropyran	7392-19-0 230-983-3 01-2120108033-76	>= 90 - <= 100	Acute toxicity estimate
			Acute oral toxicity:2 700 mg/kg

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Immediately seek medical attention if chemical entered ear

canal.

In case of eye contact : Protect unharmed eye.

Remove contact lenses.

Immediately flush eye(s) with plenty of water.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Immediately consult Poison Control Center or physician.

Keep respiratory tract clear. Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : no data available

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to

health.

Cool closed containers exposed to fire with water spray.

Do not use a solid water stream as it may scatter and spread

fire.

Do not allow run-off from fire fighting to enter drains or water

courses.

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01 Shipping Order Information: 31 238 592/26 781 251

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

for firefighters necessary.

Further information : In the event of fire and/or explosion do not breathe fumes.

Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored

separately in closed containments.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep people away from and upwind of spill/leak.

In the case of vapour formation use a respirator with an

approved filter.

For emergency conditions, use an approved positive-pressure

self-contained breathing apparatus.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Material can create slippery conditions. Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Use only non-sparking tools.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

6.4 Reference to other sections

Not applicable

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudar

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

: Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Keep away from open flames, hot surfaces and sources of

ianition.

Use explosion-proof equipment.

Do not spray on a naked flame or any incandescent material.

Temperature class : no data available Fire-fighting class : no data available Dust explosion class : no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

Advice on common storage Storage class (TRGS 510) Other data

: Store Ambient 10-30℃ (50-85℃)

Dry, well ventilated, preferably full, hermetically sealed

: Protect against light. : 3 Flammable liquids

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Specific use(s) : no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection : Use safety goggles and faceshield tested according to EN

166/ ANSI Z87.1 or equivalent local standard.

Hand protection : Use gloves when handling substance in open systems.

Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3

of this SDS. Change gloves frequently.

If direct skin contact is expected: use gloves tested according

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudar

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

> to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS.

Permeation time must exceed contact time.

: Wear working clothes covering arms and legs. Other skin protection

> Use antistatic clothes when flammable liquids are handled. (EN 1149-5; ASTM F1505/ASTM STP1273 or equivalent local

standard).

Respiratory protection Respiratory protection should be worn when workplace

exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as

acceptable, use type:

ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a

backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or

NIOSH 42 CFR 84(US).

Thermal hazards Wear appropriate thermal protective clothing, when

necessary.

Hygiene measures Remove contaminated clothing and protective equipment

before entering eating areas.

Do not eat, drink or smoke during work.

Wash hands any time after handling the product.

8.2.3 Environmental exposure controls

General advice : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Administrative information:

Report Information: SDS EU/EN/GHS SDS EU REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid Form : liquid

: colorless to Pale yellow Colour

Taste : not determined

Odour : Citrus-like, Fresh, Terpenic, mint-like

Odour Threshold : 125,146 ng/l

Flash point : 38 °C Method: Pensky-Martens closed cup Lower explosion limit : not determined Upper explosion limit : not determined Flammability : no data available Flammability Flammability : no data available
Particle size : no data available
Oxidizing properties : no data available
Auto-ignition temperature : 336 °C Method: DIN 51794

Decomposition temperature : no data available Molecular weight : 154,20 g/mol : no data available рΗ

Melting point : < 20 ℃

Boiling point : 162 ℃ at 1 013 hPa Vapour pressure : 2.93 hPa at 20 ℃

Method: OECD Test Guideline 104

4,89 hPa at 25 ℃

Method: OECD Test Guideline 104

Density : 871,42 kg/m3 at 20 °C

Bulk density : Not applicable

Water solubility : 449 mg/l at 20 °C

Solubility/qualitative : Very slightly soluble

Partition coefficient: n- : log Pow: 3,9

Method: OECD Test Guideline 117 octanol/water

Viscosity, kinematic Relative vapour density : no data available : no data available Surface tension : 66.4 mN/m at 20.5 ℃

Method: OECD Test Guideline 115

Evaporation rate : no data available Explosive properties : no data available

9.2 Other information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed. Vapours

may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks. Extremes of temperature and direct

sunlight.

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition : no data available

products

Thermal decomposition : no data available

SECTION 11: Toxicological information

Acute toxicity

Acute oral toxicity : LD50 Rat

Dose: > 2 800 mg/kg

Acute inhalation toxicity : LC50 Rat

Exposure time: 4 h Dose: > 5,00 mg/l

Method: OECD Test Guideline 436

Acute inhalation toxicity :

Acute dermal toxicity : This information is not available.

Acute toxicity (other routes

of administration)

: No data is available on the product itself.

Skin corrosion/irritation

Skin irritation : Species: Guinea pig

No skin irritation

May cause skin irritation in susceptible persons.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01 Shipping Order Information: 31 238 592/26 781 251

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Serious eye damage/eye irritation

Eye irritation : Species: Rabbit

Eve irritation

Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitisation

Sensitisation Skin sensitization Guinea pig

Result: Not sensitizing

HRIPT Human

Result: Not sensitizing at 2 % in Dimethyl phthalate

Germ cell mutagenicity

Genotoxicity in vitro : Ames test

negative

Method: Mutagenicity (Salmonella typhimurium - reverse

mutation assay)

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Not classified due to lack of data.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic : No data is available on the product itself.

Toxicant - Single exposure

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic : No data is available on the product itself.

Toxicant - Repeated

exposure

Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Toxicology Assessment

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Acute effects : May be harmful if inhaled.

Sensitisation

Phototoxicity

Phototoxicity : Phototoxicity Guinea pig

Result:negative

Further information : Solvents may degrease the skin.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Product:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 32 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 79,7

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 12

mg/l

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

> Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301 F

GLP: yes

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.

Dispose of in accordance with local, state and federal

regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Do not expose containers to high temperatures such as in hot

work processes.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

 ADR
 : UN 3271

 RID
 : UN 3271

 IMDG
 : UN 3271

 IATA
 : UN 3271

14.2 UN proper shipping name

ADR : ETHERS, N.O.S.

(2-Ethenyl-2,6,6-trimethyloxane)

RID : ETHERS, N.O.S.

(2-Ethenyl-2,6,6-trimethyloxane)

IMDG : ETHERS, N.O.S.

(2-Ethenyl-2,6,6-trimethyloxane)

IATA : Ethers, n.o.s.

(2-Ethenyl-2,6,6-trimethyloxane)

14.3 Transport hazard class(es)

ADR : 3
RID : 3

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

IMDG : 3 IATA : 3

14.4 Packing group

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

MDG

Marine pollutant : no

14.6 Special precautions for user

ADR

Tunnel restriction code : (D/E)

MDG

IMDG Code Segregation : None

Group

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Neither banned nor restricted

Concern for Authorisation (Article 59).

Major Accident Hazard : FLAMMABLE LIQUIDS

Legislation P5c

Quantity 1: 5 000 t Quantity 2: 50 000 t

Water hazard class : WGK 2 obviously hazardous to water

(Germany) Code Number: 5 852

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670		All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182	APAC	Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech replublic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
	USA and Canada	+1 215 207 0061	LATAIVI	Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Print Date 05 AUG 2024 Revision Date 18 JUL 2024

Global Global +44 1865 407333 Argentina +54 11 5984 3690

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41 Sales & Distribution Information: VE01/FR/CH11/01 Shipping Order Information: 31 238 592/26 781 251

according to Regulation (EC) No. 1907/2006

Givaudan

LIMETOL

Version 14.0 Revision Date 18 JUL 2024

Print Date 05 AUG 2024

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006

Givaudan

_	 	 _
П	IF٦	

Version 14.0 Revision Date 18 JUL 2024 Print Date 05 AUG 2024

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/41

Sales & Distribution Information: VE01/FR/CH11/01 Shipping Order Information: 31 238 592/26 781 251