

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : CISFEEEEHEP
CISTUS OIL SPAIN

Substance name : OILS, LABDANUM
Identifier

CAS-No. : 8016-26-0
89997-74-0

EC-No. : 289-711-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfumery ingredient

1.3 Details of the supplier of the safety data sheet

Company :
Vallauris F&B
Albert Vieille SAS
629 Route de Grasse
BP 217
F-06227 VALLAURIS

Telephone : +33493641672
Telefax : +33493648007
E-mail address : global.sds_info@givaudan.com
Responsible/issuing person

1.4 Emergency Call

Givaudan 24/7 call : +33172110003

Please refer to section 16 for a full list of emergency phone numbers, from Givaudan's 24/7 provider.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Serious eye damage, Category 1
Skin sensitisation, Category 1
Reproductive toxicity, Category 2

Aspiration hazard, Category 1

Short-term (acute) aquatic hazard,
Category 1
Long-term (chronic) aquatic hazard,
Category 1

H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.
H361: Suspected of damaging fertility or the unborn child.
H304: May be fatal if swallowed and enters airways.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H226
H302
H304

Flammable liquid and vapour.
Harmful if swallowed.
May be fatal if swallowed and enters airways.

H315
H317
H318
H361

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of damaging fertility or the unborn child.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:
P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273
P280

Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P301 + P310

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331

Do NOT induce vomiting.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391

Collect spillage.

Hazardous components which must be listed on the label:

- 2,6,6-trimethyl-Bicyclo[3.1.1]hept-2-ene (= alpha-pinene) 80-56-8
- 1-isopropyl-4-methylbenzene 99-87-6
- (R)-p-mentha-1,8-diene 5989-27-5
- 1,7,7-Trimethylbicyclo[1,2,2]Heptan-2-ol (= Borneol) 507-70-0
- 2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol) 470-82-6
- 3-cyclohexen-1-ol, 4-methyl-1-(1-methylethyl)- (= Terpeneol-4) 562-74-3
- linalool 78-70-6
- Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (= Beta-pinene) 127-91-3
- p-mentha-1,3-diene 99-86-5
- 1-methyl-4-isopropylidene-1-cyclohexene (= terpinolene) 586-62-9
- 4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene) 87-44-5
- 2-methoxy-4-(2-propen-1-yl)-phenol (eugenol) 97-53-0
- 2-methyl-5-(1-methylethyl)phenol 499-75-2
- citral 5392-40-5
- 3,7-dimethyl-6-octen-1-ol (= citronellol) 106-22-9
- geraniol 106-24-1
- carvone (ISO) 99-49-0
- 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene 13466-78-9

2.3 Other hazards

Hazards not Otherwise Classified.

: This material may have the potential to be ignited by static electricity during handling or processing. Use proper grounding techniques when handling this product to avoid electrostatic charges. A detailed static evaluation is recommended for liquid handling/processing operation to determine the potential for generating and accumulating static charge. Reference NFPA 77 "Recommended Practice on Static Electricity" for further safe handling practices.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3. Composition/information on ingredients

3.1 Substances

Chemical name	CAS-No. EC-No. REACH Registration Number	Concentration [Percent by weight]	M-Factor, SCL, ATE
2,6,6-trimethyl- Bicyclo[3.1.1]hept-2-ene (= alpha-pinene)	80-56-8 7785-70-8 201-291-9 232-087-8 01-2119519223-49	>= 30 - < 50	M-Factor (Acute aquatic toxicity):1 M-Factor (Chronic aquatic toxicity):1 Acute toxicity estimate Acute oral toxicity:> 500 - 2 000 mg/kg
2,2-dimethyl-3- methylenebicyclo(2.2.1)he ptane (= Camphene)	79-92-5 201-234-8	>= 5 - < 10	M-Factor (Acute aquatic toxicity):1 M-Factor (Chronic aquatic toxicity):1 Acute toxicity estimate Acute oral toxicity:> 5 000,00 mg/kg
1-isopropyl-4- methylbenzene	99-87-6 202-796-7	>= 3 - < 5	Acute toxicity estimate Acute oral toxicity:4 750,00 mg/kg Acute inhalation toxicity(vapour):9,7

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

			mg/l Acute dermal toxicity:> 5 000,00 mg/kg
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 01-2119529223-47	$\geq 2,5 - < 5$	Acute toxicity estimate Acute oral toxicity:5 600,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
1,7,7- Trimethylbicyclo[1,2,2]Hep tan-2-ol (= Borneol)	507-70-0 208-080-0 01-2120768418-42	$\geq 3 - < 5$	Acute toxicity estimate Acute oral toxicity:6 500,00 mg/kg
2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol)	470-82-6 207-431-5 01-2119967772-24	$\geq 1 - < 5$	Acute toxicity estimate Acute oral toxicity:2 480 mg/kg
3-cyclohexen-1-ol, 4- methyl-1-(1-methylethyl)- (= Terpineol-4)	562-74-3 209-235-5	$\geq 1 - < 5$	Acute toxicity estimate Acute oral toxicity:1 300,00 mg/kg Acute inhalation toxicity(vapour):3 mg/l
1-Isopropyl-4- methylcyclohexa-1,4-diene (= gamma terpinene)	99-85-4 202-794-6	$\geq 1 - < 2,5$	Acute toxicity estimate Acute oral toxicity:3 650,00 mg/kg
linalool	78-70-6 201-134-4 01-2119474016-42	$\geq 1 - < 5$	Acute toxicity estimate Acute oral toxicity:2 790,00 mg/kg
1,3-Cyclohexadiene, 2- methyl-5-(1-methylethyl)- (= phellandrene)	99-83-2 202-792-5	$\geq 1 - < 2,5$	M-Factor (Acute aquatic toxicity):1 M-Factor (Chronic aquatic toxicity):1 Acute toxicity estimate Acute oral toxicity:5 700,00 mg/kg

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

p-mentha-1,3-diene	99-86-5 202-795-1	$\geq 1 - < 2,5$	Acute toxicity estimate Acute oral toxicity:1 680,00 mg/kg
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (= Beta-pinene)	127-91-3 204-872-5 01-2119519230-54	$\geq 1 - < 2,5$	M-Factor (Acute aquatic toxicity):1
1-methyl-4-isopropylidene-1-cyclohexene (= terpinolene)	586-62-9 209-578-0 01-2119982324-34	$\geq 0,25 - < 1$	M-Factor (Acute aquatic toxicity):1 M-Factor (Chronic aquatic toxicity):1 Acute toxicity estimate Acute oral toxicity:4 390,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
2-methoxy-4-(2-propen-1-yl)-phenol (eugenol)	97-53-0 202-589-1 01-2119971802-33	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:2 130,00 mg/kg
7-methyl-3-methylene-1,6-octadiene (= myrcene)	123-35-3 204-622-5 01-2119514321-56	$\geq 0,25 - < 1$	M-Factor (Acute aquatic toxicity):1 Acute toxicity estimate Acute oral toxicity:> 5 000,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene)	87-44-5 201-746-1 01-2120745237-53	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:> 5 000,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
2-methyl-5-(1-methylethyl)phenol	499-75-2 207-889-6	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:810,00

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

			mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
citral	5392-40-5 226-394-6 01-2119462829-23	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:4 960,00 mg/kg Acute dermal toxicity:2 250,00 mg/kg
3,7-dimethyl-6-octen-1-ol (= citronellol)	106-22-9 203-375-0 01-2119453995-23	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:3 450,00 mg/kg Acute dermal toxicity:2 650,00 mg/kg
4-Methyl-2-(2-methyl-1- propenyl)tetrahydro-2H- pyran	16409-43-1 240-457-5 01-2119976300-42	$\geq 0,1 - < 1$	
styrene	100-42-5 202-851-5 01-2119457861-32	$\geq 0,25 - < 1$	Acute toxicity estimate Acute inhalation toxicity(vapour):11 mg/l
geraniol	106-24-1 203-377-1 01-2119552430-49	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:3 600,00 mg/kg Acute dermal toxicity:> 5 000,00 mg/kg
toluene	108-88-3 203-625-9 01-2119471310-51	$\geq 0,1 - < 0,25$	Acute toxicity estimate Acute dermal toxicity:14 000,00 mg/kg
3,5,5-trimethylcyclohex-2- enone	78-59-1 201-126-0	$\geq 0,1 - < 1$	specific concentration limit STOT SE3; H335 $\geq 10 \%$

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan**CISTUS OIL SPAIN**

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

			Acute toxicity estimate Acute oral toxicity:1 870,00 mg/kg Acute dermal toxicity:1 500,00 mg/kg 1 390,00 mg/kg
carvone (ISO)	99-49-0 202-759-5	$\geq 0,1 - < 1$	Acute toxicity estimate Acute dermal toxicity:3 800 mg/kg
4-allyl-1,2-dimethoxybenzene (= methyl eugenol)	93-15-2 202-223-0	$\geq 0,1 - < 1$	Acute toxicity estimate Acute oral toxicity:810,00 mg/kg
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9 236-719-3 01-2119520252-55	$\geq 0,1 - < 0,25$	Acute toxicity estimate Acute oral toxicity:4 800,00 mg/kg

SECTION 4. First aid measures**4.1 Description of first aid measures**

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Remove contact lenses.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

If swallowed : Immediately flush eyes for at least 15 minutes. Get medical attention.
: Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : no data available
Risks : Harmful if swallowed.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of damaging fertility or the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : no data available

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical
Alcohol-resistant foam
Carbon dioxide (CO₂)
Water spray

Unsuitable extinguishing media : no data available

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Use a water spray to cool fully closed containers.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : no data available

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Not applicable

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).
Keep away from open flames, hot surfaces and sources of ignition.

Temperature class : no data available

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan**CISTUS OIL SPAIN**

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Fire-fighting class : no data available

Dust explosion class : no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)
Dry, well ventilated, preferably full, hermetically sealed
Advice on common storage : Protect against light.
Storage class (TRGS 510) : 3 Flammable liquids
Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : no data available

SECTION 8. Exposure controls/personal protection**8.1 Control parameters**

Components	CAS-No.	Value	Control parameters	Update	Basis
toluene	108-88-3	TWA	50 ppm 192 mg/m3	2006-02-09	2006/15/E C
Further information	:	Indicative Identifies the possibility of significant uptake through the skin			
		STEL	100 ppm 384 mg/m3	2006-02-09	2006/15/E C
Further information	:	Indicative Identifies the possibility of significant uptake through the skin			

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

- | | |
|-----------------------|---|
| Eye/face protection | : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard. |
| Hand protection | : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently.
If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time. |
| Other skin protection | : Wear working clothes covering arms and legs. Use antistatic clothes when flammable liquids are handled. (EN 1149-5; ASTM F1505/ASTM STP1273 or equivalent local standard). |

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.

Respiratory protection

: Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as acceptable, use type:

ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards

: Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

: Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

8.2.3 Environmental exposure controls

General advice

: Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

: liquid

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Form	: Liquid
Colour	: Yellow orange to brown
Taste	: not determined
Odour	: woody, Ambery
Odour Threshold	: no data available
Flash point	: 43 °C Method: closed cup
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Flammability	: no data available
Particle size	: no data available
Oxidizing properties	: no data available
Auto-ignition temperature	: no data available
Decomposition temperature	: no data available
pH	: no data available
Vapour pressure	: no data available
Density	: 917,34 kg/m3 at 20 °C
Bulk density	: Not applicable
Water solubility	: no data available
Solubility/qualitative	: no data available
Partition coefficient: n-octanol/water	: no data available
Viscosity, kinematic	: no data available
Relative vapour density	: no data available
Evaporation rate	: no data available
Explosive properties	: no data available

9.2 Other information

Not applicable

SECTION 10. Stability and reactivity

10.1 Reactivity

none

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available

Thermal decomposition : no data available

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity : No data is available on the product itself.

Acute inhalation toxicity : No data is available on the product itself.

Acute dermal toxicity : No data is available on the product itself.

Acute toxicity (other routes of administration) : No data is available on the product itself.

Skin corrosion/irritation

Skin irritation : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation

Sensitisation : No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity : No data is available on the product itself.

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Target Organ Systemic Toxicant - Single exposure

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Target Organ Systemic : No data is available on the product itself.
Toxicant - Single exposure

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic : No data is available on the product itself.
Toxicant - Repeated exposure

Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Phototoxicity

Phototoxicity : No data is available on the product itself.

Further information : Solvents may degrease the skin.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

SECTION 12. Ecological information

12.1 Toxicity

Components:

pin-2(3)-ene:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

camphene:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

p-mentha-1,5-diene:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

pin-2(10)-ene:

M-Factor (Acute aquatic toxicity) : 1

p-mentha-1,4(8)-diene:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

7-methyl-3-methylenoocta-1,6-diene:

M-Factor (Acute aquatic toxicity) : 1

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Very toxic to aquatic life with long lasting effects.
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14. Transport information

14.1 UN number

ADR : UN 1197

RID : UN 1197

IMDG : UN 1197

IATA : UN 1197

14.2 UN proper shipping name

ADR : EXTRACTS, LIQUID

RID : EXTRACTS, LIQUID

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

IMDG : EXTRACTS, LIQUID
(alpha-Pinene, Camphene)

IATA : Extracts, liquid

14.3 Transport hazard class(es)

ADR : 3

RID : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADR : III

RID : III

IMDG : III

IATA : III

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

14.6 Special precautions for user

ADR
Tunnel restriction code : (D/E)

IMDG
IMDG Code Segregation : None
Group

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Neither banned nor restricted

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Major Accident Hazard Legislation : ENVIRONMENTAL HAZARDS
E1
Quantity 1: 100 t
Quantity 2: 200 t

: FLAMMABLE LIQUIDS
P5c
Quantity 1: 5 000 t
Quantity 2: 50 000 t

Water hazard class (Germany) : WGK 3 highly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16. Other information

Full text of H-Statements

H335 : May cause respiratory irritation.

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech republic	+420 228 882 830		South Korea	+82 2 3479 8401

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337
Global	Global	+44 1865 407333		Argentina	+54 11 5984 3690

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Givaudan

CISTUS OIL SPAIN

Version 1.1

Revision Date 12 JAN 2024

Print Date 25 APR 2024

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_EU/EN/GHS_SDS_EU_REGION/40

Sales & Distribution Information: VA01/FR/FR20/01

Shipping Order Information: 30 117 707/25 706 433