

## CEDAR LEAF OIL EXTRA

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

**Denomination** : CEDAR LEAF OIL EXTRA  
**Reference** : E1570

CAS#: 8007-20-3  
REACH#: 01-2120763401-62-xxxx

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Aromatic ingredient - for industrial use only, do not consume as such

#### 1.3. Details of the supplier of the safety data sheet

PAYAN BERTRAND  
28 Avenue Jean XXIII - BP 61057  
06131 GRASSE cedex - FRANCE  
Tel. +33 (4) 93 40 14 14 ( 8:15-12:00 / 12:45-16:00 )  
Web. [www.payanbertrand.com](http://www.payanbertrand.com)  
Email. [regulatory@payanbertrand.com](mailto:regulatory@payanbertrand.com)

#### 1.4. Emergency telephone number

+33 613 35 57 58 (24h / 24h)

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### GHS Classification :

RegulationCLP

AH1	Asp. Tox. 1	Aspiration hazard 1
ATO4	Acute Tox. 4 (Oral)	Acute oral toxicity 4
ED12	Eye Irrit. 2	Serious eye damage/Eye irritation 2
EHC2	Aquatic Chronic 2	Chronic aquatic toxicity 2
FL3	Flam. Liq. 3	Flammable liquids 3
SS1	Skin Sens. 1	Skin sensitisation 1

H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H304 - May be fatal if swallowed and enters airways.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Refer to the section 16 for the all hazard statements.

#### 2.2. Label elements

##### GHS Classification :

RegulationCLP

## CEDAR LEAF OIL EXTRA



Warning statement : DANGER

AH1 Asp. Tox. 1 Aspiration hazard 1  
ATO4 Acute Tox. 4 (Oral) Acute oral toxicity 4  
EDI2 Eye Irrit. 2 Serious eye damage/Eye irritation 2  
EHC2 Aquatic Chronic 2 Chronic aquatic toxicity 2  
FL3 Flam. Liq. 3 Flammable liquids 3  
SS1 Skin Sens. 1 Skin sensitisation 1

H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H304 - May be fatal if swallowed and enters airways.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Contains Thuyone (alpha et bêta), Thuj-4(10)-ene, Pin-2(3)-ene, p-menth-1-en-4-ol

### 2.3. Other hazards

Not concerned

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

INCI Name : THUJA OCCIDENTALIS LEAF OIL

### 3.1. Substances

Identification number	Substance	Hazard classes & H-phrases	LCS / M-factors / ATE	%
CAS# / EINECS# /	Thuyone (alpha et bêta)	Acute Tox. 4 (Oral) H302	ATE (Orale) : 500mg/kg	60.000
CAS# 3387-41-5 EINECS# 222-212-4	Thuj-4(10)-ene	Asp. Tox. 1 H304		3.800
CAS# 80-56-8 EINECS# 201-291-9	Pin-2(3)-ene	Asp. Tox. 1, Acute Tox. 4 (Oral), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H302, H400, H410, H226, H315, H317	ATE (Orale) : 500mg/kg	2.500
CAS# 123-35-3 EINECS# 204-622-5	7-methyl-3-methylenecycloocta-1,6-diene	Asp. Tox. 1, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 2 H304, H319, H400, H411, H226, H315		2.000
CAS# 562-74-3 EINECS# 209-235-5	p-menth-1-en-4-ol	Acute Tox. 4 (Inhalation), Acute Tox. 4 (Oral), Skin Irrit. 2, Skin Sens. 1, Stot Se 3Ne H332, H302, H315, H317, H336	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Orale) : 1300mg/kg ATE (Inhalation) : 11mg/L	2.000
CAS# 5989-27-5 EINECS# 227-813-5 INDEX# 601-096-00-2	(R)-p-mentha-1,8-diene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H412, H226, H315, H317		1.500

## CEDAR LEAF OIL EXTRA

CAS# 79-92-5 EINECS# 201-234-8	Camphene	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3 H319, H400, H410, H226		1.200
CAS# 76-22-2 EINECS# 200-945-0, 207-355-2, 207-354-7	Bornan-2-one	Acute Tox. 4 (Inhala, Acute Tox. 4 (Oral), Eye Dam. 1, Aquatic Chronic 2, Skin Irrit. 2, Stot Se 2 H332, H302, H318, H411, H315, H371	ATE (Orale) : 1500mg/kg ATE (Inhalation) : 11.25mg/L	1.000
CAS# 99-87-6 EINECS# 202-796-7 INDEX# 601-094-00-1	p-cymene	Asp. Tox. 1, Acute Tox. 3 (Inhala, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H331, H411, H226, H361	ATE (Inhalation) : 3mg/L	1.000
CAS# 99-85-4 EINECS# 202-794-6	p-mentha-1,4-diene	Asp. Tox. 1, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H411, H226, H361		0.800
CAS# 13466-78-9 EINECS# 236-719-3	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	Asp. Tox. 1, Acute Tox. 4 (Inhala, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1 H304, H332, H411, H226, H315, H317	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Inhalation) : 11.25mg/L	0.500
CAS# 78-70-6 EINECS# 201-134-4 INDEX# 603-235-00-2	Linalool	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1B H319, H315, H317		0.500
CAS# 99-86-5 EINECS# 202-795-1 INDEX# 601-095-00-7	p-mentha-1,3-diene	Asp. Tox. 1, Acute Tox. 4 (Oral), Eye Irrit. 2, Aquatic Chronic 2, Flam. Liq. 3, Skin Sens. 1 H304, H302, H319, H411, H226, H317	SS1 (M=1) SS1 - H317 : C >= 1 % ATE (Orale) : 1680mg/kg	0.500
CAS# 115-95-7 EINECS# 204-116-4	Linalyl acetate	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1B H319, H315, H317		0.400
CAS# 586-62-9 EINECS# 209-578-0	p-mentha-1,4(8)-diene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin Sens. 1B H304, H400, H410, H317		0.300
CAS# 555-10-2 EINECS# 209-081-9	2-p-menthadiène	Asp. Tox. 1, Flam. Liq. 3, Skin Sens. 1 H304, H226, H317	SS1 (M=1) SS1 - H317 : C >= 1 %	0.200
CAS# 127-91-3 EINECS# 204-872-5	Pin-2(10)-ene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H410, H226, H315, H317		0.150

Not concerned

EINECS/ELINCS : 290-370-1  
REACH : 01-2120763401-62-xxxx  
CAS : 8007-20-3

Product type : Essential oil

### 3.2. Mixtures

No concerned

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

**Skin contact** : Remove any contaminated clothing or shoes. Wash affected areas thoroughly with soap and water for at least 15 minutes. Contact a physician if necessary.

**Eye Contact** : Flush immediatly with clean water for at least 10 minutes. Contact a physician if necessary.

**Ingestion** : Rinse the mouth. Contact a physician immediately.

**Excessive inhalation** : Remove to fresh air. If breathing has stopped, administer artificial respiration and oxygen if available. Contact a physician if necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

## CEDAR LEAF OIL EXTRA

Take into account hazard and safety statements.

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Recommended : Carbondioxide, dry chemical or foam.

Not recommended : Direct water.

### 5.2. Special hazards arising from the substance or mixture

Cool down other threatened recipients with pulverized water.  
Do not inhale fire fumes or gases (CO, CO<sub>2</sub>, organic products).

Flammability class : *The product is not easily flammable*

### 5.3. Advice for firefighters

Never use a direct stream of water.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, clothes.  
Provide adequate ventilation.

### 6.2. Environmental precautions

Prevent contamination of soil, ground and surface water.

### 6.3. Methods and material for containment and cleaning up

Gross spillages should be contained by use of sand or inert powder and disposed off in accordance with local laws and regulations.

### 6.4. Reference to other sections

No concerned

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Keep away all ignition sources.  
Provide adequate ventilation.  
Do not eat, drink, smoke in the working areas.  
Wash hands after use.

## CEDAR LEAF OIL EXTRA

### 7.2. Conditions for safe storage, including any incompatibilities

Store the product in a cool, dry and ventilated area away from heat sources, and protected from light in tightly closed original container. Keep air contact to a minimum.

Packing material :

- not recommended : naked iron.

### 7.3. Specific end use(s)

Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

No concerned

### 8.2. Exposure controls

To avoid eye and mucous membrane projection and according to the working area organization wearing eye glasses and gloves is recommended.

Avoid excessive inhalation of concentrated vapors.

Do not re-use empty containers : Quickly get clear of sponges, wovens, ... etc, used to sponge the product. Keep away from food and drink.

Hygien and safety at work : adapted personal protective equipment is advised.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Vapour pressure (mmHg) :	0.3
Aspect :	Liquid
Colour :	[Colourless ; Light yellow]
Odour :	Characteristic
Specific gravity (20°C) :	[0.905 ; 0.930]
Refractive index (20°C) :	[1.456 ; 1.460]
Optical rotation (20°C) :	[-15 ; -5]
Flash point (°C) :	57

### 9.2. Other information

Solubility : ethanol / oil / solvents.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

## CEDAR LEAF OIL EXTRA

This product presents no significant reactivity hazard.

### 10.2. Chemical stability

This product is stable and will not react violently with water.

### 10.3. Possibility of hazardous reactions

Hazardous reaction will not occur if using conditions and prescriptions are followed.

### 10.4. Conditions to avoid

Avoid contact or contamination with strong acids, alkalis, or oxidizing agents.

### 10.5. Incompatible materials

Not relevant.

### 10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.

No decomposition product if storage and handling conditions are followed.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity:

- Oral : 784.30 (Determined)
- Inhalation : Not classified
- Dermal : Not classified

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitisation: No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

Reproductive toxicity: No data available

STOT-single exposure: No data available

STOT-repeated exposure: No data available

Aspiration hazard: No data available

### 11.2. Information on other hazards

Not applicable

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

No data available.

## CEDAR LEAF OIL EXTRA

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

Not applicable

### 12.7. Other adverse effects

No data available.

Avoid contamination of soil, ground and surface water.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Release to atmosphere : avoid.

Release to surface water : avoid.

Release into natural environment : avoid.

Destruction of waste : incineration.

Treatment of empty containers : re-use inadvisable.

Waste Disposal Methods : Place material and absorbent into sealed containers and dispose off in accordance with current applicable laws and regulations.

## 14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:

## CEDAR LEAF OIL EXTRA



### 14.1. UN number or ID number

ADR/ADN/RID : UN1197 ( Tunnel code(D/E) )  
IMDG:UN1197  
IATA :UN1197

### 14.2. UN proper shipping name

ADR/ADN/RID : EXTRACTS, LIQUID  
IMDG:EXTRACTS, LIQUID  
IATA :EXTRACTS, LIQUID

### 14.3. Transport hazard class(es)

ADR/ADN/RID : 3  
IMDG:3  
IATA :3

### 14.4. Packing group

ADR/ADN/RID : III  
IMDG:III  
IATA :III

### 14.5. Environmental hazards

IMDG : Marine Pollutant

### 14.6. Special precautions for user

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not regulated

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**General rules of preventing chemical risks** - labor code art R4411-1 to R4412-164 related to the reinforced medical surveillance of employees exposed to agents classified CMR and to exposures controls of agents classified CMR.

**General rules on ICPE (France) - Manufacturing and/or use and/or stock**

Heading 1171,1172 and 1173

Heading 1432 and 1433

Water contamination class (Germany): WGK WGK 3

### 15.2. Chemical safety assessment

Not applicable.

## 16. OTHER INFORMATION

Full list of relevant phrases quoted in section 3 according to Regulation No. (EC) 1272/2008



## CEDAR LEAF OIL EXTRA

- H226** Flammable liquid and vapour.
- H302** Harmful if swallowed.
- H302+H332** Harmful if swallowed or if inhaled
- H304** May be fatal if swallowed and enters airways.
- H315** Causes skin irritation.
- H317** May cause an allergic skin reaction.
- H318** Causes serious eye damage.
- H319** Causes serious eye irritation.
- H331** Toxic if inhaled.
- H336** May cause drowsiness or dizziness.
- H361** Suspected of damaging fertility or the unborn child.
- H371** May cause damage to organs.
- H400** Very toxic to aquatic life.
- H410** Very toxic to aquatic life with long lasting effects.
- H411** Toxic to aquatic life with long lasting effects.
- H412** Harmful to aquatic life with long lasting effects.

The information given in this MSDS was obtained from current and reliable sources. However, these datas are provided without any warranty, expressed or implied, regarding their correctness or accuracy. Since the conditions of use, handling, storage, and disposal of this product are beyond P&B control, it is the responsibility of the user both to determine safe conditions for use as well as to assume liability for loss, damage, and expenses arising out of improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this SDS.

### Acronyms :

REACH: Regulation, Evaluation, Authorization of CHemicals

CSR: Chemical Safety Report

IFRA: International Fragrance Association

IOFI: International Organization of the Flavor Industry

ATE: Acute Toxicity Estimation

ES: Exposure Scenario

Bibliography, data sources: IFRA IOFI Labelling Manual 2023.

Classification of the mixture and evaluation methods according to regulation (CE) n° 1272/2008 :

H224-H225-H226 : Measured

Other hazard statements : Calculated

Classification of substance and evaluation methods according to regulation (CE) n° 1272/2008 : Measured or Calculated

**This product is for an industrial use only and not personal use.**

Modified points : 8.2 15.1